
















Product	Part Number	Description / Color	Applications	Benefits
	<b>BA 193D</b>	PTFE Film Tape <i>Blue-Gray</i>	<ul style="list-style-type: none"> <li>Surface Protection</li> <li>High Temperature Masking</li> </ul>	<ul style="list-style-type: none"> <li>Clean Removal</li> <li>Conforms to irregular surfaces</li> <li>Hand Tearable PTFE film</li> <li>Meets BAC 5034-4 for general shop use and transportation on painted organic coatings, anodized, and titanium</li> </ul>
	<b>BA 23TS</b>	Professional Painter's Tape U.V. Resistant <i>Blue</i>	<ul style="list-style-type: none"> <li>4 Hour Wet Test Pad Holding</li> <li>Surface Protection</li> <li>Bundling Packaging</li> <li>Temporary Holding</li> <li>Packaging Marking Low Temperatures</li> </ul>	<ul style="list-style-type: none"> <li>Light Tack</li> <li>Clean Removal from most surfaces</li> <li>Meets BAC 5034-4 for general shop use</li> </ul>
	<b>BA 23TS QMT</b>	Quality Assurance Marking Tape <i>Yellow, Green, Orange, Fluorescent Red-Orange, Red, Pink, White, Light Blue</i>	<ul style="list-style-type: none"> <li>Marking: Temporary marking of parts in production</li> <li>for QA and rivet rows</li> <li>Quality marking tape approved for use on many surfaces</li> </ul>	<ul style="list-style-type: none"> <li>Available in Eight (8) Colors</li> <li>Approved to write on</li> <li>Custom Printable and cut to size for label applications or other part marking requirements</li> <li>Meets BAC 5307 temporary part marking specification</li> </ul>
	<b>BA 6866 FOD</b>	FOD Control Printed Film Tape <i>Gold</i>	<ul style="list-style-type: none"> <li>Drilling Process</li> <li>Counter Sink Process</li> <li>Surface Protection: Laps, Bump Straps, Window Belts, Rivet Lines, Stringers</li> <li>Approved for use on clad aluminum, BMS primed aluminum, TPC Composite</li> <li>Attachment: Paperwork Placards General Shop Use</li> </ul>	<ul style="list-style-type: none"> <li>Creates FOD Awareness</li> <li>No Release Coat (prevents surface contamination)</li> <li>Embossed backing holds paint and coatings to reduce flaking/FOD</li> <li>High Temperature Resistance</li> <li>Meets BAC 5034-4 Temporary Surface Protection and Storage Requirements for Indoor and Outdoor use</li> <li>Meets BAC 5034-4 Temporary Surface Protection and Transportation Requirements for over 75 miles</li> <li>Meets BAC 5307 for part marking</li> <li>Custom Printable for Labels and Die-Cut parts</li> <li>Approved for use on Painted Composite and Non-Primed Composite</li> <li>No Residue</li> <li>Ease of Application</li> <li>Approved to write on</li> <li>Chemical Resistance</li> </ul>
	<b>BA 6866</b>	Film Tape <i>Gold</i>	<ul style="list-style-type: none"> <li>Drilling Process</li> <li>Counter Sink Process</li> <li>Window / Cowling / Paint Masking</li> <li>Surface Protection: Laps, Bump Straps, Window Belts, Rivet Lines and Stringers</li> <li>Approved for use on clad aluminum, BMS primed aluminum, TPC Composite</li> <li>Attachment: Paperwork Placards General Shop Use</li> </ul>	<ul style="list-style-type: none"> <li>No Release Coat (prevents surface contamination)</li> <li>Embossed backing holds paint and coatings to reduce flaking/FOD</li> <li>High Temperature Resistance</li> <li>Meets BAC 5034-4 Temporary Surface Protection and Storage Requirements for Indoor and Outdoor use</li> <li>Meets BAC 5034-4 Temporary Surface Protection and Transportation Requirements for over 75 miles</li> <li>Meets BA 5034-4 for Manufacturing Protection of Painting Organic Surfaces</li> <li>Meets BAC 5307 for part marking</li> <li>Custom Printable for Labels and Die-Cut parts</li> <li>Approved for use on Painted Composite and Non-Primed Composite</li> <li>No Residue</li> <li>Ease of Application</li> <li>Approved to write on</li> <li>Chemical Resistance</li> </ul>
	<b>BA 6866 with PET Liner</b>	Film Tape <i>Gold</i>	<ul style="list-style-type: none"> <li>Drilling Process</li> <li>Counter Sink Process</li> <li>Window / Cowling / Paint Masking</li> <li>Approved for use on clad aluminum, BMS primed aluminum, TPC Composite</li> </ul>	<ul style="list-style-type: none"> <li>Meets BAC 5034-4 Temporary Surface Protection and Storage Requirements for Indoor and Outdoor use</li> <li>Meets BAC 5034-4 Temporary Surface Protection and Transportation Requirements for over 75 miles on Painted and Unprimed Composite</li> <li>Approved for use on Painted and Non-Primed Composite</li> </ul>

Product	Part Number	Description / Color	Applications	Benefits
	<b>BA 855</b>	Surface Protection Tape <i>White</i>	<ul style="list-style-type: none"> <li>Surface Protection</li> <li>50 Mil heavy duty tape</li> <li>Approved for use on clad aluminum, primed aluminum, TPC</li> <li>General Shop Use and Outdoor transportation</li> </ul>	<ul style="list-style-type: none"> <li>BAC 5034-4 for general shop use</li> <li>Meets BAC 5034-4 for Temporary Surface Protection and Storage Requirements for Indoor and Outdoor use</li> <li>Meets BAC 5034-4 Temporary Surface Protection and Transportation Requirements for over 75 miles</li> <li>Approved for use on Painted Composite and Non- Primed Composite</li> </ul>
	<b>BA 89</b>	High Temperature Masking Tape <i>Tan</i>	<ul style="list-style-type: none"> <li>Surface Protection</li> <li>Can be used with adcoat, primers, and other coating applications</li> <li>Bundling</li> <li>Packaging</li> <li>High Temp Masking</li> </ul>	<ul style="list-style-type: none"> <li>High Temperature</li> <li>Clean Removal</li> <li>Conformable</li> <li>Leaves great coatings lines</li> <li>Solvent Resistant</li> <li>Meets BAC 5034-4 for general shop use</li> </ul>
	<b>BA 951</b>	Single-Coated Polyester Tape <i>Clear</i>	<ul style="list-style-type: none"> <li>Surface Protection</li> <li>Heavy Duty Surface Protection for coated surfaces like BMS primers and TPC</li> <li>Drilling Process</li> <li>Countersink Process</li> </ul>	<ul style="list-style-type: none"> <li>No Residue</li> <li>No TPC Removal</li> <li>Reduced Tenting during backside drilling</li> <li>Meets BAC 5034-4 for general shop use and drilling</li> <li>Very Aggressive to Surface</li> <li>Ease of Application- 80lb liner</li> <li>Custom Designed for new TPC and coatings</li> <li>Meets BAC 5307 temporary part marking on primed and TPC surfaces</li> </ul>
	<b>BA 55410RT</b>	Rivet Tape <i>Translucent Blue / Amber</i>	<ul style="list-style-type: none"> <li>Surface Protection</li> <li>Medium duty rivet setting</li> <li>Conforms well for radius surfaces of impact</li> </ul>	<ul style="list-style-type: none"> <li>Conformable</li> <li>No Wrinkle</li> <li>Lays Flat</li> <li>No Residue</li> <li>No Mark Off</li> <li>Easily Hand Tearable</li> <li>No Adhesive Contact to Rivet Head</li> <li>Meets BAC 5034-4 rivet tape criteria</li> </ul>
	<b>BA 6019RT</b>	Rivet Tape <i>Translucent Clear / Amber</i>	<ul style="list-style-type: none"> <li>Surface Protection</li> <li>Medium to heavy duty rivet setting</li> <li>Multi-Purpose grade</li> </ul>	<ul style="list-style-type: none"> <li>Semi-Rigid</li> <li>No Wrinkle</li> <li>Lays Flat</li> <li>No Residue</li> <li>No Mark Off</li> <li>Easily Hand Tearable</li> <li>No Adhesive Contact to Rivet Head</li> <li>Meets BAC 5034-4 rivet tape criteria</li> </ul>
	<b>BA 951RT</b>	Rivet Tape <i>Translucent Clear / Amber</i>	<ul style="list-style-type: none"> <li>Surface Protection</li> <li>Heavy duty rivet setting with heavy impact and extended riveting periods</li> </ul>	<ul style="list-style-type: none"> <li>Lays Flat</li> <li>No Residue</li> <li>No Mark Off</li> <li>Rigid</li> <li>No Wrinkle</li> <li>Easily Hand Tearable</li> <li>No Adhesive Contact to Rivet Head</li> <li>Meets BAC 5034-4 rivet tape criteria</li> </ul>
	<b>BA 5439RT</b>	Rivet Tape <i>Translucent Clear / Blue</i>	<ul style="list-style-type: none"> <li>Surface Protection</li> <li>Medium to Heavy Duty Rivet Holding / Setting</li> <li>Multi-Purpose</li> </ul>	<ul style="list-style-type: none"> <li>Lays Flat</li> <li>No Residue</li> <li>No Mark Off</li> <li>Highly Conformable for radius surfaces of impact</li> <li>No Wrinkle</li> <li>Thin profile enhances energy transfer on all rivet types (flat/domed)</li> <li>Easily Hand Tearable</li> <li>No Adhesive Contact to Rivet Head</li> <li>Meets BAC 5034-4 rivet tape criteria</li> </ul>
	<b>BA 7000</b>	Performance Riveting Tape <i>Brown</i>	<ul style="list-style-type: none"> <li>Heavy and Medium Duty Rivet Setting</li> <li>Drill, Countersink, and Rivet Set Process</li> <li>Scratch, Dent, and Mark Off Protection</li> </ul>	<ul style="list-style-type: none"> <li>No Residue</li> <li>No Mark Off</li> <li>Continuous process</li> <li>Complete protection</li> <li>Set tolerances achieved</li> <li>Semi-conformable</li> <li>Meets BAC 5034-4</li> </ul>

Product	Part Number	Description / Color	Applications	Benefits
	<b>BA 55410</b>	Polyethylene Film Tape <i>Translucent Blue</i>	<ul style="list-style-type: none"> <li>• 4 Hour Wet Test Holding</li> <li>• Surface Protection</li> <li>• Temporary Holding</li> <li>• Wrapping</li> </ul>	<ul style="list-style-type: none"> <li>• High solvent resistance (MEK / MPK)</li> <li>• Clean removal from most surfaces</li> <li>• Applied surface visible through tape</li> <li>• Great elongation and conformability</li> <li>• Meets BAC 5034-4 for general shop use</li> </ul>
	<b>BA Green Flash 1R-SF</b>  <b>BA Green Flash 2R-SF</b>	"True" Non-Silicone Polyester Film Tape <i>Green</i>	<ul style="list-style-type: none"> <li>• High Temperature Masking</li> <li>• Surface Protection</li> <li>• Temporary Holding</li> <li>• Conformable</li> </ul>	<ul style="list-style-type: none"> <li>• Clean Removal from most surfaces</li> <li>• Meets BAC 5034-4 for general shop use and transportation on painted organic coatings, anodized, and titanium surfaces</li> <li>• High Temperature resistance</li> <li>• Provides great coatings lines</li> </ul>
	<b>BA 5872</b>	Film Tape <i>Black</i>	<ul style="list-style-type: none"> <li>• Holding</li> <li>• Surface Protection</li> </ul>	<ul style="list-style-type: none"> <li>• Great Adhesion to polyethylene and other surfaces</li> <li>• Clean removal long term from most surfaces</li> <li>• Meets BAC 5034-4 for General shop use</li> <li>• Meets BAC 5034-4 for Outdoor Storage Protection of Unprimed Composite UV Protection</li> <li>• Meets BAC 5034-4 for Temporary Surface Protection and Storage Requirements for Indoor and Outdoor use on clad - detailed parts and assemblies</li> </ul>
	<b>BA 9003</b>	Reinforced UV Block Sheeting <i>Black / White</i>	<ul style="list-style-type: none"> <li>• 99% UV Blocking</li> <li>• Surface Protection</li> <li>• Packaging of parts or sections</li> <li>• Meets FAR 25.853 vertical burn</li> <li>• LCF Packaging</li> </ul>	<ul style="list-style-type: none"> <li>• High Tensile Strength</li> <li>• Low Outgassing</li> <li>• Reusable</li> <li>• User Friendly / Very Light Weight</li> <li>• Form fitting</li> <li>• Heat Sealable</li> <li>• Meets BAC 5034-2 for indoor and outdoor use</li> <li>• Meets LCF Packaging Requirements</li> </ul>
	<b>BA 9004B</b>	Woven Film Tape <i>Black</i>	<ul style="list-style-type: none"> <li>• 99% UV Blocking</li> <li>• For Use on LCF</li> <li>• Packaging Holding and Surface Protection</li> <li>• Meets FAR 25.853 Vertical Burn</li> <li>• LCF Packaging</li> </ul>	<ul style="list-style-type: none"> <li>• Long Term Clean Removal from most surfaces</li> <li>• Hand Tearable</li> <li>• High Tensile Strength</li> <li>• Great adhesion to Polyethylene materials</li> <li>• Temporary Surface Protection and Transportation Requirements for over 75 miles on Painted and Unprimed Composite</li> <li>• Meets BAC 5034-4 Temporary Surface Protection and Storage Requirements for Indoor and Outdoor use</li> <li>• Meets LCF Packaging Requirements</li> </ul>
	<b>BA 876</b>	Film Tape <i>Black</i>	<ul style="list-style-type: none"> <li>• Holding</li> <li>• Interior Parts protection</li> <li>• Surface Protection</li> <li>• Meets FAR 25.853 Vertical Burn</li> </ul>	<ul style="list-style-type: none"> <li>• Hand Tearable</li> <li>• Clean removal</li> <li>• Good adhesion</li> <li>• UV Outdoor rated</li> <li>• Meets BAC 5034-4 for general shop use</li> </ul>



Product	Part Number	Description / Color	Applications	Benefits
	<b>BA 45103PF</b>	Film Tape <i>White / Black</i>	<ul style="list-style-type: none"> <li>99% UV Blocking</li> <li>Unprimed Composite Protection</li> <li>For use on LCF</li> <li>Packaging Holding and Surface Protection</li> <li>Meets FAR 25.853 Vertical Burn</li> </ul>	<ul style="list-style-type: none"> <li>Clean Removal after extended periods of use</li> <li>Very conformable to radius curves.</li> <li>Large Cover Sheets Available for easy application on completed sections</li> <li>Meets BAC 5034-4 Temporary Surface Protection and Storage Requirements for Indoor and Outdoor use</li> <li>Meets BAC 5034-4 Temporary Surface Protection and Transportation Requirements for over 75 miles on Painted and Unprimed Composite</li> <li>Meets LCF Packaging Requirements</li> </ul>
	<b>BA 6936</b>	Flexible Fineline Masking Tape <i>Green</i>	<ul style="list-style-type: none"> <li>Surface Protection</li> <li>Window / Cowling / Paint Masking</li> <li>Masking: great coating lines</li> <li>For use on Titanium, Organic Surfaces, Bare Aluminum</li> </ul>	<ul style="list-style-type: none"> <li>Conformable</li> <li>Clean Removal from a number of surfaces</li> <li>Excellent paint lines</li> <li>Hand Tearable Film</li> <li>Meets BAC 5034-4 for general shop use and transportation on painted organic coatings, anodized, and titanium</li> </ul>
	<b>Bron Template</b>	Custom printed to CAD specification drill and countersinking template	<ul style="list-style-type: none"> <li>Drill and Counter Sink to Tolerance 0.020"</li> <li>Adheres directly to the production surface</li> </ul>	<ul style="list-style-type: none"> <li>Precision printed at full scale from CAD model</li> <li>Accurately locates on DA holes</li> <li>EOP features Drill and countersink on location at CNC tolerances</li> <li>Reduce defect costs for irregular and dense fastener patterns</li> </ul>
	<b>BA BWG</b>	Film Tape <i>White Opaque</i>	<ul style="list-style-type: none"> <li>Window / Cowling / Paint Masking</li> <li>Surface Protection</li> <li>Die Cut Parts</li> </ul>	<ul style="list-style-type: none"> <li>Meets Process Document D6-1816</li> </ul>
	<b>BA 7512</b>	High Performance Surface Protection Tape <i>White</i>	<ul style="list-style-type: none"> <li>Drilling Process</li> <li>Counter Sink Process</li> <li>Approved for use on Clad Aluminum, TPC, BMS Primed Aluminum</li> </ul>	<ul style="list-style-type: none"> <li>Defect Reduction</li> <li>Abrasion and Scratch Resistant</li> <li>Hand Tearable, Easy Unwind</li> <li>Low Tack, Easy Removal</li> <li>Does not remove TPC or other coatings</li> <li>Meets BAC 5034-4 for general shop use</li> </ul>
	<b>BA 7165</b>	UV-Rated Surface Heavy Duty Surface Protection Tape <i>Blue</i>	<ul style="list-style-type: none"> <li>Drilling Process</li> <li>Counter Sink Process</li> <li>Approved for use on Clad Aluminum, TPC, BMS Primed Aluminum</li> </ul>	<ul style="list-style-type: none"> <li>Heavy Duty Defect Reduction</li> <li>Abrasion and Puncture Resistant</li> <li>Hand Tearable, Easy Unwind</li> <li>Low Tack, Easy Removal</li> <li>Does not remove TPC or other coatings</li> <li>Holds Coatings Overspray, reducing FOD</li> <li>Meets BAC 5034-4 for general shop use</li> </ul>
	<b>BA 815L</b>	Polyester Film Tape <i>Translucent Green</i>	<ul style="list-style-type: none"> <li>Tank Processing of Detailed Parts Electrically Bonded</li> <li>Surface Protection</li> <li>Outdoor Transportation</li> </ul>	<ul style="list-style-type: none"> <li>Clean Removal</li> <li>Low Adhesive Erosion</li> <li>Lined for Plotter Cutting Parts</li> <li>Applied surface visible through tape</li> <li>Meets BAC 5034-4 for Manufacturing Protection</li> </ul>



Product	Part Number	Description / Color	Applications	Benefits
	<b>BA 827</b>	High-Performance Surface Protection Cloth Tape <i>Black</i>	<ul style="list-style-type: none"> <li>• Surface Protection</li> <li>• Superior Grip for Walking on</li> <li>• Masking for Corrosion Coatings</li> </ul>	<ul style="list-style-type: none"> <li>• Non-Slip Surface</li> <li>• Instant-Tack</li> <li>• High Adhesion</li> <li>• Easy Tear</li> <li>• Clean Removal</li> <li>• Meets BAC 5034-4</li> </ul>
	<b>BA 3763</b>	WingSafe Tape <i>Tan</i>	<ul style="list-style-type: none"> <li>• Surface Protection</li> <li>• 22.5 Mil Heavy Duty</li> <li>• Walk Safe</li> </ul>	<ul style="list-style-type: none"> <li>• High strength board/composite paper backing</li> <li>• Film-reinforced for clean removability</li> <li>• Performance non-slip surface</li> <li>• High tack, strong holding power</li> <li>• No Curl-Up or Edge taping</li> <li>• Excellent for textured and uneven surfaces</li> <li>• Meets BAC 5034-4</li> </ul>
	<b>BA 975 Foil</b>	Glass Cloth Aluminum Foil	<ul style="list-style-type: none"> <li>• Tank Processing of Detailed Parts Electrically Bonded</li> <li>• Surface Protection</li> <li>• Outdoor Transportation</li> </ul>	<ul style="list-style-type: none"> <li>• Clean Removal</li> <li>• Conformable</li> <li>• Low Adhesive Erosion</li> <li>• Lined for Plotter Cutting Parts</li> <li>• Meet BAC 5034-4 for Manufacturing Protection</li> </ul>
	<b>BA 4848 Clear</b>	NEW "True" Non-Silicone Polyester Film Tape	<ul style="list-style-type: none"> <li>• Tank Processing of Detailed Parts Electrically Bonded</li> <li>• High Performance Surface Protection</li> <li>• Outdoor Transportation</li> </ul>	<ul style="list-style-type: none"> <li>• Clean Removal</li> <li>• Low Adhesive Erosion Lined for Plotter</li> <li>• Cutting Parts</li> <li>• Meets BAC 5034-4 Chemical Processing Protection</li> </ul>